

# Dunnville Downtown Street Tree Planting

Lock Street East, Chestnut Street, Queen Street, and Bridge Street, Dunnville ON

December 2021



# **Haldimand County**

53 Thorburn Street South, Cayuga, Ontario N0A 1E0

# ska

Stempski Kelly Associates Inc.

Design Landscape Architecture Planning
P.O. Box 399, Fergus, ON. N1M 3E2
Voice (519) 787 4313
sean@ska-design.ca www.ska-design.ca

# Schedule of Drawings

Lock St E - Streetscape Improvement Plan


Chestnut St - Streetscape Improvement Plan


Chestnut St - Streetscape Improvement Plan


Queen St - Streetscape Improvement Plan

Bridge St - Streetscape Improvement Plan

Details







Ex. Parking Signs to Remain Unless Otherwise Stated

Ex. Tree in Turf to Remain Ex. Tree and Pit to be

Removed

Ex. Street Light Standard to Remain Unless Otherwise Ex. Tree to be Replaced with Upgraded Pit Stated

Ex. Outdoor Trash Can Unless Otherwise Stated

Ex. Tree Pit to be Removed

□ Ex. Street Signs to Remain Unless Otherwise Stated

New Tree and Pit

Ex. Curb Cut to Remain Unless Otherwise Stated

### Concrete-related Activities

A New Tree Pit Location (existing concrete to be removed), refer to Detail 1, Sheet L6)

B Existing Tree Pit Location (new concrete to be placed to reconfigure tree pit opening size and/or to accept specified tree pit grate/guard), refer to Detail 2, Sheet L6

(C) Removal of Existing Tree Pit (new concrete placed, capping former; to be flush with adjacent ex. sidewalk), refer to Detail 3, Sheet L6

1. The contractor shall check and verify all dimensions and conditions on the project and immediately report any discrepancies to the Landscape Architect before preceding with

2. All dimensions are in millimeters unless otherwise stated. 3. The contractor shall layout the site and seek approval of the

Landscape Architect prior to proceeding with work. 4. Project Boundary - Queen Street, Bridge Street, Lock Street East and Chestnut Street. Existing sidewalk and concrete curbs to

remain undisturbed unless otherwise noted. Revised - for County Review 8 Mar. 2022 2 10 Jan. 2022 For County Review 13 Dec. 2021

### No. Date Revisions

This drawing is an instrument of professional services and is intended for the use only in connection with the project covered by the consultant agreement.



Haldimand County

53 Thorburn Street South, Cayuga, Ontario N0A 1E0

# ska

Stempski Kelly Associates Inc. 

Design Landscape Architecture Planning P.O. Box 399, Fergus, ON. N1M 3E2 Voice (519) 787 4313 sean@ska-design.ca www.ska-design.ca

## **Project Title**

# **Dunnville Downtown Street** Tree Planting

Queen Street, Bridge Street, Lock Street East and Chestnut Street, Dunnville ON

Drawn

SK

Checked

Project No.


December 2021


Date

Sheet Title Lock St E - Streetscape Improvement Plan

Sheet No.


Scale 1:150





PLANT LIST							
Кеу	Botanical Name	Common Name	Qty Size		<b>Conditions</b>	Remarks	
Deciduous Trees							
AF	Acer x freemanii Celebration	Celebration Maple	9	50mm cal	WB	full crown	






Ex. Parking Signs to Remain Unless Otherwise Stated


Ex. Tree in Turf to Remain

Ex. Tree and Pit to be Removed



Ex. Tree Pit to be Removed

New Tree and Pit



Can Unless


Ex. Street Light

Standard to Remain Unless Otherwise

Ex. Outdoor Trash

Otherwise Stated

Otherwise Stated



### Concrete-related Activities

A New Tree Pit Location (existing concrete to be removed), refer to Detail 1, Sheet L6)

B Existing Tree Pit Location (new concrete to be placed to reconfigure tree pit opening size and/or to accept specified tree pit grate/guard), refer to Detail 2, Sheet L6

C Removal of Existing Tree Pit (new concrete placed, capping former; to be flush with adjacent ex. sidewalk), refer to Detail 3, Sheet L6

### Notes

1. The contractor shall check and verify all dimensions and conditions on the project and immediately report any discrepancies to the Landscape Architect before preceding with

2. All dimensions are in millimeters unless otherwise stated. 3. The contractor shall layout the site and seek approval of the

Landscape Architect prior to proceeding with work. 4. Project Boundary - Queen Street, Bridge Street, Lock Street East and Chestnut Street. Existing sidewalk and concrete curbs to

remain undisturbed unless otherwise noted. 8 Mar. 2022 Revised - for County Review 2 10 Jan. 2022 For County Review

# Revisions

This drawing is an instrument of professional services and is intended for the use only in connection with the project covered by the consultant agreement.



13 Dec. 2021

# **Haldimand County**

53 Thorburn Street South, Cayuga, Ontario N0A 1E0

# ska

Stempski Kelly Associates Inc. Design Landscape Architecture Planning

P.O. Box 399, Fergus, ON. N1M 3E2 Voice (519) 787 4313 sean@ska-design.ca www.ska-design.ca

# Project Title

# **Dunnville Downtown Street** Tree Planting

Queen Street, Bridge Street, Lock Street East and Chestnut Street, Dunnville ON

Checked


Project No. December 2021


Sheet Title


Sheet No.

Chestnut St - Streetscape Improvement Plan

Scale 1:150







Ex. Parking Signs to Remain Unless Otherwise Stated

Ex. Tree in Turf to Remain

Ex. Tree and Pit to be Removed Ex. Street Light Standard to Remain Unless Otherwise

Ex. Outdoor Trash Can Unless Otherwise Stated

Ex. Tree to be Replaced with Upgraded Pit Ex. Tree Pit to be Removed

Ex. Street Signs to Remain Unless

Otherwise Stated

New Tree and Pit

Ex. Curb Cut to Remain Unless Otherwise Stated

### Concrete-related Activities

A New Tree Pit Location (existing concrete to be removed), refer to Detail 1, Sheet L6)

B Existing Tree Pit Location (new concrete to be placed to reconfigure tree pit opening size and/or to accept specified tree pit grate/guard), refer to Detail 2, Sheet L6

Removal of Existing Tree Pit (new concrete placed, capping former; to be flush with adjacent ex. sidewalk), refer to Detail 3, Sheet L6

### Notes

1. The contractor shall check and verify all dimensions and conditions on the project and immediately report any discrepancies to the Landscape Architect before preceding with

2. All dimensions are in millimeters unless otherwise stated. 3. The contractor shall layout the site and seek approval of the

Landscape Architect prior to proceeding with work.

4. Project Boundary - Queen Street, Bridge Street, Lock Street East and Chestnut Street. Existing sidewalk and concrete curbs to

3	8 Mar. 2022	Revised - for County Review
2	10 Jan. 2022	For County Review
1	13 Dec. 2021	Review

remain undisturbed unless otherwise noted.

## Revisions

This drawing is an instrument of professional services and is intended for the use only in connection with the project covered by the consultant agreement.



# Haldimand County

53 Thorburn Street South, Cayuga, Ontario N0A 1E0

# ska

Stempski Kelly Associates Inc.

Design Landscape Architecture Planning P.O. Box 399, Fergus, ON. N1M 3E2 Voice (519) 787 4313 sean@ska-design.ca www.ska-design.ca

## Project Title

# **Dunnville Downtown Street** Tree Planting

Queen Street, Bridge Street, Lock Street East and Chestnut Street, Dunnville ON

Checked

Project No.

December 2021

Date

Sheet Title


Scale 1:150


Queen St. - Streetscape

Improvement Plan



Sheet No.





SIGN Ex. Parking Signs to Remain Unless Otherwise Stated

Ex. Tree in Turf to Remain

Ex. Tree and Pit to be Removed

Ex. Outdoor Trash Can Unless Otherwise Stated

Standard to Remain Unless Otherwise

Ex. Tree to be Replaced with Upgraded Pit Ex. Tree Pit to be Removed

Ex. Street Signs to Remain Unless Otherwise Stated

New Tree and Pit

Ex. Curb Cut to Remain Unless Otherwise Stated

### Concrete-related Activities

New Tree Pit Location (existing concrete to be removed), refer to Detail 1, Sheet L6)

- B Existing Tree Pit Location (new concrete to be placed to reconfigure tree pit opening size and/or to accept specified tree pit grate/guard), refer to Detail 2, Sheet L6
- (C) Removal of Existing Tree Pit (new concrete placed, capping former; to be flush with adjacent ex. sidewalk), refer to Detail 3, Sheet L6

1. The contractor shall check and verify all dimensions and conditions on the project and immediately report any discrepancies to the Landscape Architect before preceding with

2. All dimensions are in millimeters unless otherwise stated. 3. The contractor shall layout the site and seek approval of the

Landscape Architect prior to proceeding with work. 4. Project Boundary - Queen Street, Bridge Street, Lock Street East and Chestnut Street. Existing sidewalk and concrete curbs to

		1
3	8 Mar. 2022	Revised - for County Review
2	10 Jan. 2022	For County Review
1	13 Dec. 2021	Review
		2 10 Jan. 2022

remain undisturbed unless otherwise noted.

## Revisions

This drawing is an instrument of professional services and is intended for the use only in connection with the project covered by the consultant agreement.



# Haldimand County

53 Thorburn Street South, Cayuga, Ontario N0A 1E0

# ska

Stempski Kelly Associates Inc. ••••• Design Landscape Architecture Planning P.O. Box 399, Fergus, ON. N1M 3E2 Voice (519) 787 4313

sean@ska-design.ca www.ska-design.ca

## Project Title

# **Dunnville Downtown Street** Tree Planting

Queen Street, Bridge Street, Lock Street East and Chestnut Street, Dunnville ON

Drawn

SK

Checked

Project No.


December 2021 Date


Sheet Title


Sheet No. Queen St. - Streetscape \_3

Improvement Plan Scale

1:150








Ex. Parking Signs to Remain Unless

Otherwise Stated


Standard to Remain Unless Otherwise

POLS Ex. Street Light

Can Unless




Ex. Tree and Pit to be Removed




Ex. Outdoor Trash Ex. Tree Pit to be Removed



New Tree and Pit





### Concrete-related Activities

- A New Tree Pit Location (existing concrete to be removed), refer to Detail 1, Sheet L6)
- B Existing Tree Pit Location (new concrete to be placed to reconfigure tree pit opening size and/or to accept specified tree pit grate/guard), refer to Detail 2, Sheet L6
- C Removal of Existing Tree Pit (new concrete placed, capping former; to be flush with adjacent ex. sidewalk), refer to Detail 3, Sheet L6

- 1. The contractor shall check and verify all dimensions and conditions on the project and immediately report any discrepancies to the Landscape Architect before preceding with
- 2. All dimensions are in millimeters unless otherwise stated. 3. The contractor shall layout the site and seek approval of the

and Chestnut Street. Existing sidewalk and concrete curbs to

Landscape Architect prior to proceeding with work.

4. Project Boundary - Queen Street, Bridge Street, Lock Street East

remain undisturbed unless otherwise noted.

3	8 Mar. 2022	Revised - for County Review
2	10 Jan. 2022	For County Review
1	13 Dec. 2021	Review

### No. Date Revisions

This drawing is an instrument of professional services and is intended for the use only in connection with the project covered by the consultant agreement.



# **Haldimand County**

53 Thorburn Street South, Cayuga, Ontario N0A 1E0

# ska

Stempski Kelly Associates Inc.

Design Landscape Architecture Planning P.O. Box 399, Fergus, ON. N1M 3E2 Voice (519) 787 4313

sean@ska-design.ca www.ska-design.ca

## Project Title

# **Dunnville Downtown Street** Tree Planting

Queen Street, Bridge Street, Lock Street East and Chestnut Street, Dunnville ON

Checked

Project No.


December 2021 Date

Sheet Title

Sheet No.


Queen St. - Streetscape Improvement Plan

Scale 1:150



# **PLANT LIST**

Key	<b>Botanical Name</b>	Common Name	Qty	Size	Conditions	Remarks
Deciduous Trees						
GB	Ginkgo biloba	Maidenhair Tree	2	50mm cal	WB	full crown



### Legend

Ex. Parking Signs to Remain Unless Otherwise Stated

Ex. Tree in Turf to Remain

Ex. Street Light Standard to Remain Unless Otherwise

Ex. Tree and Pit to be Removed Ex. Tree to be Replaced with Upgraded Pit

Ex. Tree Pit to be

Removed

Ex. Outdoor Trash Can Unless Otherwise Stated

Ex. Street Signs to Remain Unless Otherwise Stated

New Tree and Pit

Ex. Curb Cut to Remain Unless Otherwise Stated

### Concrete-related Activities

A New Tree Pit Location (existing concrete to be removed), refer to Detail 1, Sheet L6)

B Existing Tree Pit Location (new concrete to be placed to reconfigure tree pit opening size and/or to accept specified tree pit grate/guard), refer to Detail 2, Sheet L6

Removal of Existing Tree Pit (new concrete placed, capping former; to be flush with adjacent ex. sidewalk), refer to Detail 3, Sheet L6

### Notes

1. The contractor shall check and verify all dimensions and conditions on the project and immediately report any discrepancies to the Landscape Architect before preceding with

2. All dimensions are in millimeters unless otherwise stated. 3. The contractor shall layout the site and seek approval of the

Landscape Architect prior to proceeding with work.

4. Project Boundary - Queen Street, Bridge Street, Lock Street East and Chestnut Street. Existing sidewalk and concrete curbs to

remain undisturbed unless otherwise noted. Revised - for County Review 8 Mar. 2022 2 10 Jan. 2022 For County Review 1 13 Dec. 2021

# Revisions

This drawing is an instrument of professional services and is intended for the use only in connection with the project covered by the consultant agreement.



Haldimand County

53 Thorburn Street South, Cayuga, Ontario N0A 1E0

# ska

Stempski Kelly Associates Inc.

••••• Design Landscape Architecture Planning P.O. Box 399, Fergus, ON. N1M 3E2 Voice (519) 787 4313

sean@ska-design.ca www.ska-design.ca

## Project Title

# **Dunnville Downtown Street** Tree Planting

Queen Street, Bridge Street, Lock Street East and Chestnut Street, Dunnville ON

Drawn

Checked

Project No.


December 2021 Date

Sheet Title

1:150


Sheet No. Bridge St. - Streetscape

Improvement Plan Scale




Tree Pit (New)
plan & section

olan & section NTS




Tree Pit (Ex. to be Upgraded)


plan & section NTS



Tree Pit (Ex.) Concrete Filling plan & section



Tree Grate
Typ. NTS



5 Tree Guard NTS

# Notes

- 1. The contractor shall line up both tree grate and guard halves for easy access.
- 2. The contractor shall install tree grates and guards and seek approval of the Landscape Architect prior to proceeding with tree planting.
- 3. No tree pits/cavities to be left uncovered presenting hazard to the public. It is contractor's responsibility to ensure all hazards are adequately addressed.

Notes

- The contractor shall check and verify all dimensions and conditions on the project and immediately report any discrepancies to the Landscape Architect before preceding with.
- 2. All dimensions are in millimeters unless otherwise stated.3. The contractor shall layout the site and seek approval of the
- Landscape Architect prior to proceeding with work.4. Project Boundary Queen Street, Bridge Street, Lock Street East and Chestnut Street. Existing sidewalk, and concrete curbs to remain undisturbed unless otherwise noted.

3	8 Mar. 2022	Revised - for County Review
2	10 Jan. 2022	For County Review
1	13 Dec. 2021	Review
No	Date	Item

Revisions

This drawing is an instrument of professional services and is intended for the use only in connection with the project covered by the consultant agreement.



mand County
County

53 Thorburn Street South, Cayuga, Ontario N0A 1E0

# ska

Stempski Kelly Associates Inc.

Design Landscape Architecture Planning
P.O. Box 399, Fergus, ON. N1M 3E2
Voice (519) 787 4313

sean@ska-design.ca www.ska-design.ca

Project Title

# Dunnville Downtown Street Tree Planting

Queen Street, Bridge Street, Lock Street East and Chestnut Street, Dunnville ON

Drawn
SK
Checked
#

Project No.

December 2021

December 2021

Date

Sheet Title
DETAILS

Scale

As Shown

Sheet No.

NTS